

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH) as amended

RADIATOR STOP LEAK

TEC-2000 LTD.

P. O. BOX 285, Hitchin HERTS., SG4 9WQ, U.K

info@TEC-2000.co.uk

PH: 01462-433 660 FAX: 01462-674 468 MOB: 07831-105 386

Revision Date: 01-May-2023

Version Number: 13

- SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 Product Identifier Trade Name: **TEC-2000 RADIATOR STOP LEAK** Y000-A0PG-V002-2QE8 UFI 1.2 Relevant identified uses of the substance or mixture and uses advised against Sector of Use: The product is intended for sale to the consumer and the professional use. Application of the substance / the preparation: Stops coolant leaks from automotive cooling systems. 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Name or trade name TEC-2000 LIMITED Address PO Box 285, Hitchin, Hertfordshire, SG4 9WQ, United Kingdom VAT Reg No GB111112414 Phone +44 (0) 1462 433 660 mike@tec-2000.co.uk E-mail Web address www.tec-2000.co.uk Competent person responsible for the safety data sheet Name TEC-2000 LIMITED E-mail mike@tec-2000.co.uk 1.4 Emergency telephone number 0044 (Ø) 7831 105386 (24hrs) NHS Direct: 111

UK-National Poisons Information Service (NPIS): 0344 892 0111 (healthcare professionals only).

Ireland - National Poisons Information Centre (NPIC): (01) 809 2566 (healthcare professionals only).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



Signal word: Warning

Hazard-determining components of labelling:

1,2-benzisothiazol-3(2H)-one

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements:

_		
	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P103	Read label before use.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water.
	P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.





Registered office: Second Floor, 2 Walsworth Road, Hitchin, Hertfordshire, SG4 9SP Registered in England No. 460 8392

Version Number: 13	TEC-2000 Radiator Stop Leak	Revision Date: 01-May-2023

Additional information:

This product contains 1,2-benzisothiazol-3(2H)-one used as a preservative. Therefore, this product is a treated article according to Regulation (EU) No 528/2012.

Do not allow to enter sewers/surface or ground water.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Hazardous components:

CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≥0.1-<0.25%
EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315;	
Index number: 613-088-00-6	Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
Additional information: For the wording of the listed risk phrases refer to section 16		

Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in the recovery position.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water.

After swallowing:

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting Measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up Dispose contaminated material as waste according to item 13...

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and Storage

 7.1 Precautions for safe handling: Avoid contact with the eyes and skin.
 Information about fire - and explosion protection: No special measures required.

Version Number: 13	TEC-2000 Radiator Stop Leak	Revision Date: 01-May-2023
Requirements to be met by Store in a cool, dry place in ti	n one common storage facility: d.	
SECTION 8: Exposure Control	/Personal Protection	
The product does not contain Additional information: The lists valid during the makes 8.2 Exposure controls Individual protection measures General protective and hygien Immediately remove all soiled an Respiratory protection: Not required under normal condit Hand protection	s, such as personal protective equipment c measures: d contaminated clothing	
Protection of hands: Protective gloves.		
The glove material has to be imp	ermeable and resistant to the product/ the substance/ the preparation.	

Due to missing tests no recommendation to the glove material can be given for the product/the preparation/the chemical mixture.

Select the glove material based on a consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time must be determined by the manufacturer of the protective gloves.

Eye/face protection:



Safety glasses with side-shields (EN 166).

Goggles recommended during refilling **Body protection:** Protective work clothing.

SECTION 9: Physical And Chemical Properties

9.1 Information on basic physical and chemical propertie General Information	es
	luid
	Red.
Odour: B	Berry odor
	lot determined.
Melting point/freezing point: N	lot determined.
	lot determined.
	lot determined.
Lower and upper explosion limit	
	lot determined.
Upper: N	lot determined.
Flash point: N	lot determined.
Decomposition temperature: N	lot determined.
pH N	lot determined.
Viscosity:	
Kinematic viscosity N	lot determined.
VOC (EC):	
Dynamic: N	lot determined.

Version Number: 13	TEC-2000 Radiator Stop Leak	Revision Date: 01-May-2023
Solubility		
Water:	Not determined.	
Partition coefficient n-octanol/wate	er (log value) Not determined.	
Vapour pressure:	Not determined.	
Density and/or relative density		
Density:	Not determined.	
Relative density	1.05	
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Liquid.	
Ignition temperature:	Not determined.	
Explosive properties:	Product does not present an explosion hazar	rd
Softening point/range		
Oxidising properties	Not determined.	
Evaporation rate	Not determined.	
Information with regard to physical		
Explosives	Not applicable.	
Flammable gases	Not applicable.	
Aerosols	Not applicable.	
Oxidising gases	Not applicable.	
Gases under pressure	Not applicable.	
Flammable liquids Flammable solids	Not applicable.	
	Not applicable.	
Self-reactive substances and mixtu	11	
Pyrophoric liquids	Not applicable.	
Pyrophoric solids	Not applicable.	
Self-heating substances and mixtu		
Substances and mixtures, which e		
gases in contact with water	Not applicable.	
Oxidising liquids	Not applicable.	
Oxidising solids	Not applicable.	
Organic peroxides	Not applicable.	
Corrosive to metals	Not applicable.	
Desensitised explosives	Not applicable.	
SECTION 10: Stability and Reactivity	у	
10.1 Reactivity:		
No further relevant information a	vailable.	
10.2 Chemical stability Thermal decomposition / cond	litiana ta ha avaidadu	
No decomposition if used and sto		
10.3 Possibility of hazardous reacti	ons.	
No dangerous reactions known.		
10.4 Conditions to avoid:		
No further relevant information a	valiable.	
10.5 Incompatible materials:		
No further relevant information a		
10.6 Hazardous decomposition pro		
No further relevant information a		
SECTION 11: Toxicological Informat		
11.1 Information on toxicological ef	itects	
Acute toxicity		
LD/LC50 values:		
112945-52-5 Silica, amorphous, fur		
	000 mg/kg (Rat)	
Dermal LD50 >2,0	000 mg/kg (Rabbit)	
2634-33-5 1,2-benzisothiazol-3(2H)		
	000 mg/kg (Rat)	
Ura L1150 >20		
Dermal LD50 >2,0	000 mg/kg (Rat)	
Dermal LD50 >2,0 1310-73-2 sodium hydroxide		

Respiratory or skin sensitisation: May cause an allergic skin reaction.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

None of the ingredients are listed.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity		
112945-52-5 Silica	112945-52-5 Silica, amorphous, fumed, crystfree	
LC50	>10,000 mg/L (Minnow)	
2634-33-5 1,2-benz	2634-33-5 1,2-benzisothiazol-3(2H)-one	
LC50	7-30 mg/L (Fish)	
EC50/72h	0.37 mg/L (Algae)	
1310-73-2 sodium hydroxide		
LC50	180 mg/L (Fish)	

12.2 Persistence and degradability:

No further relevant information available.

- **12.3 Bioaccumulative potential:** No further relevant information available.
- 12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB:

Not applicable. 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

Additional environmental information:

General notes: Not hazardous for water.

SECTION 13: Disposal Considerations

13.1 Waste treatment methods

 Recommendation:

 Do not allow product to reach sewage system.

 Uncleaned packaging

 Recommendation:

 Disposal must be made in accordance with official regulations.

 Packaging that may not be cleansed must be disposed of in the same manner as the product.

SECTION 14: Transport Information

- 14.1 UN Number ADR, ADN, IMDG, IATA Not applicable.
- 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Not applicable.
- 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class Not applicable.
- 14.4 Packing group ADR, IMDG, IATA Not applicable.
- 14.5 Environmental hazards Marine pollutant: No
- 14.6 Special precautions for user Not applicable.
- 14.7 Transport in bulk according to IMO instruments Not applicable.

TEC-2000 Radiator Stop Leak

SECTION 15: Regulatory Information.

15.1	I Safety, health and environmental regulations/legislation specific for the substance or mixture
	Quantities:
	Canada Non-Domestic Substances List (NDSL)
	None of the ingredients are listed.
	Directive 2012/18/EU
	Named dangerous substances – ANNEX I:
	None of the ingredients are listed.
	REGULATION (EC) No 1907/2006 ANNEX XVII

Conditions of restriction: 3 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other Information.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1